



Certificate of Analysis

Powered by Confident Cannabis
1 of 2

Hempingus.com

Sample: 2007CNS0865.4584

Strain: Blue Cheese

Lot #: 19M01520620CW150LB;

Sample Received: 08/03/2020; Report Created: 08/10/2020

Harvest Process Lot:

METRC Batch: ; METRC Sample:

Blue Cheese
Plant, Biomass



Safety

Pass Pesticides	Pass Microbials	Pass Mycotoxins
Pass Metals	Pass Foreign Matter	

Cannabinoids

0.4633%	12.3358%	0.1253%	NT
Total THC	Total CBD	Δ9-THC	Moisture

Analyte	LOQ	Mass	Mass
	%	%	mg/g
CBDV	0.0700	<LOQ	<LOQ
THCV	0.0700	<LOQ	<LOQ
CBD	0.0700	1.5401	15.401
CBG	0.0700	0.2085	2.085
CBDa	0.0700	12.3098	123.098
CBGa	0.0700	0.2543	2.543
CBN	0.0700	<LOQ	<LOQ
Δ9-THC	0.0700	0.1253	1.253
Δ8-THC	0.0700	<LOQ	<LOQ
CBC	0.0700	0.0941	0.941
THCa	0.0700	0.3854	3.854
CBCa	0.0700	0.5863	5.863
Total		15.5038	155.038

Total THC = THCa * 0.877 + Δ9-THC + Δ8-THC. Total CBD = CBDa * 0.877 + CBD. LOQ = Limit of Quantitation; ND = Not Detectable, NR = Not Reported, NT = Not Tested. Cannabinoids analyzed per Analysis SOP-06/SOP-14 on an Agilent 1220 HPLC-DAD. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.
Notes:

Terpenes

Hops	Cinnamon	Pine
------	----------	------

Analyte	LOQ	Mass	Mass
	mg/g	mg/g	%
β-Myrcene	0.100	3.161	0.3161
β-Caryophyllene	0.100	1.735	0.1735
α-Humulene	0.100	0.718	0.0718
α-Pinene	0.100	0.608	0.0608
δ-Limonene	0.100	0.587	0.0587
Guaiol	0.100	0.377	0.0377
Linalool	0.100	0.223	0.0223
b-Ocimene	0.100	0.215	0.0215
β-Pinene	0.100	0.215	0.0215
Caryophyllene Oxide	0.100	0.211	0.0211
d-3-Carene	0.100	<0.100	<0.0100
α-Bisabolol	0.100	<0.100	<0.0100
α-Terpinene	0.100	<0.100	<0.0100
Camphene	0.100	<0.100	<0.0100
cis-Nerolidol	0.100	<0.100	<0.0100
Eucalyptol	0.100	<0.100	<0.0100
γ-Terpinene	0.100	<0.100	<0.0100
a-Ocimene	0.100	<0.100	<0.0100
p-Cymene	0.100	<0.100	<0.0100
Terpinolene	0.100	<0.100	<0.0100
trans-Nerolidol	0.100	<0.100	<0.0100
Total		8.051	0.8051

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; ND = Not Detectable, NR = Not Reported, NT = Not Tested. Terpenes analyzed per Analysis SOP-09 on an Agilent 7890B HS-GC-FID. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.
Notes:

2952 Meade Ave
Las Vegas, NV
(702) 304-7878
http://www.canalysislab.com



Trevor Low
Trevor Low
Lab Director

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866



This product has been tested by KB Partners LLC using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. KB Partners LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of KB Partners LLC.



Certificate of Analysis

Powered by Confident Cannabis
2 of 2

Hempingus.com

Sample: 2007CNS0865.4584

Strain: Blue Cheese
Lot #: 19M01520620CW150LB;
Sample Received: 08/03/2020; Report Created: 08/10/2020
Harvest Process Lot:
METRC Batch: ; METRC Sample:

Blue Cheese
Plant, Biomass



Pesticides

Pass

Analyte	LOQ	Limit	Mass	Status
	PPM	PPM	PPM	
Abamectin	0.010	0.200	ND	Pass
Acequinocyl	0.010	4.000	ND	Pass
Beta-Cyfluthrin	0.050	2.000	ND	Pass
Bifenazate	0.010	0.400	ND	Pass
Bifenthrin	0.010	0.100	ND	Pass
Cypermethrin	0.010	1.000	ND	Pass
Daminozide	0.020	0.800	ND	Pass
Dimethomorph	0.010	2.000	ND	Pass
Etoxazole	0.010	0.400	ND	Pass
Fenhexamid	0.010	1.000	ND	Pass
Flonicamid	0.010	1.000	ND	Pass
Fludioxonil	0.010	0.500	ND	Pass
Imidacloprid	0.010	0.500	ND	Pass
Myclobutanil	0.010	0.400	ND	Pass
Pacllobutrazol	0.010	0.400	ND	Pass
Piperonyl Butoxide	0.010	3.000	ND	Pass
Pyrethrins	0.010	2.000	ND	Pass
Quintozene	0.050	0.800	ND	Pass
Spinetoram	0.010	1.000	ND	Pass
Spinosad	0.010	1.000	ND	Pass
Spirotetramat	0.010	1.000	ND	Pass
Thiamethoxam	0.010	0.400	ND	Pass
Trifloxystrobin	0.010	1.000	ND	Pass

Microbials

Pass

Analyte	Limit	Mass	Status
	CFU/g	CFU/g	
Shiga toxin-producing E. coli	ND in 1g	ND	Pass
Salmonella	ND in 1g	ND	Pass
Aspergillus (niger, terreus, flavus, fumigatus)	ND in 1g	ND	Pass
Total yeast & mold	10000	1700	Pass
Bile-Tolerant Gram-Negative Bacteria	1000	ND	Pass
Total coliform	1000	ND	Pass

Counts over 20,000 are estimates for Bile-Tolerant Gram-Negative Bacteria and Total coliforms. Counts over 40,000 are estimates for Yeast & Mold. ND = Not Detectable, NR = Not Reported, NT = Not Tested. Yeast & Mold, Bile-tolerant bacteria, and Total coliform analyzed by SOP-M003 (chromogenic plates). Aspergillus, Salmonella, and E. coli analyzed by SOP-M004 and SOP-M005 (qPCR). Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.
Notes:

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; ND = Not Detectable, NR = Not Reported, NT = Not Tested. Pesticides analyzed per Canalysis SOP-10/SOP-15 using Agilent 1260 LC-MS and/or 7000 GC-MS. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.
Notes:

Heavy Metals

Pass

Analyte	LOQ	Limit	Mass	Status
	PPB	PPB	PPB	
Arsenic	250.000	2000.000	479.701	Pass
Cadmium	250.000	820.000	<LOQ	Pass
Lead	250.000	1200.000	324.150	Pass
Mercury	25.000	400.000	<LOQ	Pass

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; ND = Not Detectable, NR = Not Reported, NT = Not Tested. Heavy Metals analyzed per Canalysis SOP-08 on an Agilent 7800 ICP-MS.
Notes:

Mycotoxins

Pass

Analyte	LOQ	Limit	Mass	Status
	PPB	PPB	PPB	
Aflatoxins	10.00	20.00	ND	Pass
Ochratoxin A	10.00	20.00	ND	Pass

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; ND = Not Detectable, NR = Not Reported, NT = Not Tested. Mycotoxins analyzed per Canalysis SOP-10/SOP-15 using Agilent 1260 LC-MS and/or 7000 GC-MS. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.
Notes:

2952 Meade Ave
Las Vegas, NV
(702) 304-7878
<http://www.canalysislab.com>



Trevor Low
Trevor Low
Lab Director

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866



This product has been tested by Canalysis Laboratories using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Canalysis Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Canalysis Laboratories.