

# Certificate of Analysis

Powered by Confident Cannabis 1 of 1

Hempingus.com

Sample: 2004CNS0424.2194

Strain: 20mg BS Watermelon Melatonin

Lot #: 200407NWMM;

Sample Received: 04/09/2020; Report Created: 04/10/2020

## 20mg BS Watermelon Melatonin

Ingestible. Soft Chew

Harvest Process Lot: ; METRC Batch: ; METRC Sample:





### Safety

**Not Tested Not Tested Pesticides** Microbials

**Not Tested** 

**Not Tested** Metals

**Not Tested** Solvents

Foreign Matter

**Not Tested** 

**Mycotoxins** 

#### Cannabinoids

Δ9-ΤΗС

A8-THC

CBC

**THCa** 

CBCa

	ND	20.5567 mg/unit	Not Test	ted		
	Total THC	Total CBD	Water Act	ivity	PH	
Analyte			LOQ	ı	Mass	Mass
			mg/unit	mg	/unit	mg/g
	CBDV		0.1406	<	LOQ	<loq< td=""></loq<>
ľ	THCV		0.1406	<	LOQ	<loq< td=""></loq<>
	CBD		0.4018	20.5	5567	4.0930
	CBG		0.1406	<	LOQ	<loq< td=""></loq<>
	CBDa		0.4018	<	LOQ	<loq< td=""></loq<>
	CBGa		0.1406	<	LOQ	<loq< td=""></loq<>
	CBN		0.1406	<	LOQ	<loq< td=""></loq<>

0.4018

0.1406

0.1406

0.4018

0.1406

<LOQ

Total 20.5567 4.0930 1 Unit = , 5.0224g Total THC = THCa \* 0.877 +  $\Delta$ 9-THC +  $\Delta$ 8-THC. Total CBD = CBDa \* 0.877 + CBD. LOQ = Limit of Quantitation; ND = Not Detectable, NR = Not Reported, NT = Not Tested. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Notes: Unit = 1 gummy

#### **Terpenes**

Analyte	LOQ	Mass	Mass

Notes:

2952 Meade Ave Las Vegas, NV (702) 304-7878 http://www.canalysislab.com







Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866



This product has been tested by Canalysis Laboratories using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested.  $Can alysis \, Laboratories \, makes \, no \, claims \, as \, to \, the \, efficacy, \, safety \, or \, other \, risks \, associated \, with \, any \, detected \, or \, non-detected \, levels \, of \, any \, compounds \, reported \, herein. \, This \, Certificate \, shall \, not \, risks \, associated \, with \, any \, detected \, or \, non-detected \, levels \, of \, any \, compounds \, reported \, herein. \, This \, Certificate \, shall \, not \, risks \, associated \, with \, any \, detected \, or \, non-detected \, levels \, of \, any \, compounds \, reported \, herein. \, This \, Certificate \, shall \, not \, risks \, associated \, with \, any \, detected \, or \, non-detected \, levels \, of \, any \, compounds \, reported \, herein. \, This \, Certificate \, shall \, not \, risks \, associated \, with \, any \, detected \, or \, non-detected \, levels \, of \, any \, compounds \, reported \, herein. \, This \, Certificate \, shall \, not \, risks \, associated \, with \, any \, detected \, or \, non-detected \, levels \, or$ be reproduced except in full, without the written approval of Canalysis Laboratories.